

SPUNTA

Ware Potato Variety · BEA × USDA 96-56



JoSprout.



High Yield Potential

Very high yield, especially in warm climates

Large Tubers

Long oval, very large

Heat & Drought Tolerant

Excellent in warm & dry conditions

Good Dry Matter

19-21% dry matter, cooking type B

MORPHOLOGY

Cooking type	B - Slightly mealy
Maturity	Early maincrop
Yield	Very high
Tuber size	Large
Tuber shape	Long oval
Tubers per plant	9 - 11
Skin colour	Yellow
Flesh colour	Light yellow
Flesh after cooking	No discolouration
Eye depth	Shallow
Berries	None
Dormancy period	Medium (moderately long)
Dry matter content	19.7%
Underwater weight	340
Washability	Good
Fries quality	Average

DISEASE RESISTANCES

Foliage blight	Susceptible
Tuber blight	Susceptible
Fusarium	Susceptible
Common scab	Susceptible
Powdery scab	Susceptible
Spraing	Highly resistant
Wart disease F1	Resistant
Wart disease F2/F6/F18	No data
PCN Ro1 / Ro2/3	Susceptible
PCN Pa2 / Pa3	Susceptible
PVY / PVYn	Susceptible
PLRV (Leaf roll)	Slightly susceptible
Yntn virus (tuber)	Slightly susceptible
Early blight	Slightly susceptible

TOLERANCES & SENSITIVITIES

Drought resistance	Not sensitive
Metribuzin sensitivity	Slightly sensitive
Internal bruising	Slightly to moderately sensitive
Harvest damage	Quite sensitive
Secondary growth	Quite sensitive
Growth cracks	Slightly sensitive
Hollow heart	Slightly sensitive
Little potato disorder	Quite sensitive
Foliage development	Strong / fast initial
Emergence	Normal / fast

PLANTING POPULATIONS

Seed size	Plants/ha	75 cm row	90 cm row
28/35 mm	45-55,000	24-30 cm	25 cm
35/50 mm	40,000	33 cm	28 cm
50/60 mm	38,000	35 cm	29 cm